

Vehicle GPS Tracker

MVT100



IP66

Water Resistant

Unique Design

For Motorcycle & Boat

Multiple Alarms

Regulate Driving Behavior

Multiple Reports

Efficient Energy Conservation

≤1% RMA

Quality Assurance



IP66 water resistant

Specialized design guarantees a stable operating performance.



Unique design

Special design enables it blend into most motorcycles and boats.



Multiple alarms

Support SOS/low power/towing/speeding/geo-fence alarms.



Multiple reports

Support mileage/direction change reports which facilitate efficient energy conservation.



Low rate of repairing

Less than 1% Rate of Repairing, stable performance and quality assurance.

Application



Motorcycle



Yacht



Car



Fleet management

Specifications

Item	Specifications
Dimension	110 mm x 72 mm x 39 mm
Weight	170g
Input voltage	DC 11 V to 36 V/1.5 A
Standby battery	850 mAh/3.7 V
Power consumption	65 mA standby current
Operating temperature	-20°C to 55°C
Humidity	5% to 95%
Working hour	43 hours in power-saving mode and 10 hours in normal mode
LED indicator	2 indicators showing GSM and GPS status
Button/Switch	1 SOS button (for sending SMSs)
	1 power button (next to the SIM card slot)
Memory	8 MB byte
Sensor	3D acceleration sensor (for vibration, wake-up, and towing alarms)
GSM frequency band	GSM 850/900/1800/1900 MHz
GPS sensitivity	-161 dB
Positioning accuracy	10m
I/O port	2 inputs (1 negative input and 1 positive input)
	1 analog detection input
	1 output
	1 USB port

Accessories

MVT100 with a built a battery, I/O cable, and SOS button	3M sticker	Screws
	USB cable	CD

Packing data

Box size	189x150x96mm
G/W	1g per box
Carton size	320X510X230mm(10 sets); 400X330X510mm(20 sets)

Certificates

				RoHS
---	---	---	---	-------------

Contact

Tel : +86(755)83462818 Email: info@meitrack.com
 Fax : +86(755)83462061 Web : www.meitrack.net
 Add: 6/F, West Tower, Cafu Plaza (Sheraton Hotel), No. 5, Guihua Rd.,
 Futian Free Trade Zone, Shenzhen, China. 518038

